



German External Quality Assessment Scheme

Prof. Dr. med. Hans Drexler

Institute and Out-Patient Clinic for Occupational, Social and Environmental Medicine of the Friedrich-Alexander University

REQUEST FORM

G-EQUAS 67 - 2021

Please order online until **3rd of March 2021**

Prof. Dr. med. H. Drexler

Institute and Out-Patient Clinic for Occupational, Social and Environmental Medicine
of the Friedrich-Alexander University

Henkestr. 9-11
91054 Erlangen
Germany

Email: info@g-equas.de

Lab.-ID:

We would appreciate it very much if you could check/update your contact dates online (www.g-equas.de).

Please note that you can only participate in G-EQUAS if we have the name of a contact partner, a valid delivery address, e-mail address and telephone number!

ORDER

Please tick the parameters that you would like to order in the current round.

**I / we are going to participate in G-EQUAS 67 and
would like to order the following control materials:**

METALS

ANALYTICAL PARAMETERS IN **CONTROL BLOOD**

- **3 ml control blood** (for each concentration level) are available for analysis:

Occupational medical field

(control material **1** A/B)

- 1 Lead (Pb)
- 2 Cadmium (Cd)
- 3 Chromium (Cr)
- 4 Cobalt (Co)
- 5 Manganese (Mn)
- 6 Nickel (Ni)
- 7 Mercury (Hg)

Environmental medical field

(control material **7** A/B)

- 70 Lead (Pb)
- 71 Cadmium (Cd)
- 72 Mercury (Hg)

ANALYTICAL PARAMETERS IN **CONTROL PLASMA**

- **3 ml control plasma** (for each concentration level) are available for analysis:

(control material **11** A/B)

- 107 Aluminium (Al)
- 108 Chromium (Cr)
- 109 Cobalt (Co)
- 110 Copper (Cu)
- 112 Manganese (Mn)
- 113 Nickel (Ni)

(control material **11** A/B)

- 114 Platinum (Pt)
- 115 Selenium (Se)
- 116 Zinc (Zn)
- 157 Molybdenum (Mo)
- 158 Magnesium (Mg)
- 199 Lead (Pb)

Inorganic parameters

ANALYTICAL PARAMETERS IN **CONTROL URINE**

- **5 ml control urine** (for each concentration level) are available for analysis:

Occupational medical field

(control material **2 A/B**)

- 8 Aluminium (Al)
- 9 Antimony (Sb)
- 10 Arsenic (by hydride technique)
(As- Hydride)
- 11 Arsenic speciation (As³⁺, As⁵⁺, MMA*, DMA*, AsB)
- 15 Beryllium (Be)
- 16 Lead (Pb)
- 17 Cadmium (Cd)
- 18 Chromium (Cr)
- 19 Cobalt (Co)
- 20 Fluoride (F)
- 21 Copper (Cu)
- 22 Manganese (Mn)
- 23 Nickel (Ni)
- 24 Mercury (Hg)

Occupational medical field

(control material **2 A/B**)

- 25 Thallium (Tl)
- 206 Titanium (Ti)
- 26 Vanadium (V)
- 27 Zinc (Zn)
- 29 Creatinine
- 126 Total Arsenic (As-tot)
- 141 Selenium (Se)
- 142 Tungsten (W)
- 145 Iodine compounds (as iodine) in urine (I)
- 159 Barium (Ba)
- 160 Lithium (Li)
- 161 Molybdenum (Mo)
- 176 Gallium (Ga)
- 194 Indium (In)
- 198 Tellurium (Te)
- 201 Germanium (Ge)
- 202 Tantal (Ta)

* MMA: Monomethylarsonic acid

* DMA: Dimethylarsinic acid

Inorganic parameters

ANALYTICAL PARAMETERS IN **CONTROL URINE**

- **5 ml control urine** (for each concentration level) are available for analysis:

Environmental medical field

(control material **8 A/B**)

- 73 Arsenic (by hydride technique) (As- Hydride)
- 74 Cadmium (Cd)
- 75 Chromium (Cr)
- 76 Nickel (Ni)
- 77 Mercury (Hg)
- 78 Platinum (Pt)
- 156 Total Arsenic (As-tot)
- 162 Calcium (Ca)
- 163 Copper (Cu)
- 164 Strontium (Sr)
- 165 Zinc (Zn)
- 190 Antimony (Sb)
- 191 Molybdenum (Mo)
- 192 Tin (Sn)
- 195 Arsenic species (As+5, As+3, MMA, DMA, AsB)

Organic Parameters

ANALYTICAL PARAMETERS IN CONTROL URINE

- **5 ml control urine** (for each concentration level) are available for the analysis in the **occupational medical field**; **2 x 5 ml control urine** (for each concentration level) are available for the **environmental medical field**:

Occupational medical field

(control material **3 A/B**, 5 ml)

- 30 Hippuric acid (HA)
- 32 Mandelic acid (MA)
- 33 Methylhippuric acids (MHA)
- 34 t,t-Muconic acid (t,t-MA)
- 37 Phenylglyoxylic acid (PGA)
- 39 Trichloroacetic acid (TCA)
- 41 2-Thio-thiazolidine-4-carboxylic acid (TTCA)
- 42 Ethoxyacetic acid (EAA)
- 43 Butoxy acetic acid (BAA)
- 44 N-Methylformamide (NMF)
- 45 2,5-Hexandione (2,5-HD)
- 46 Creatinine
- 117 5-Hydroxy-N-methylpyrrolidine (5-HNMP),
2-Hydroxy-N-methylsuccinimide (2-HMSI)
- 135 Methoxyacetic acid (MAA)
- 28 δ-Aminolaevulinic acid (ALA)

Environmental medical field

(control material **9 A/B**, 2 x 5 ml)

- 80 Pyrethroide metabolites, acid part ($\text{Br}_2\text{-CA}$, $\text{cis-Cl}_2\text{-CA}$, $\text{trans-Cl}_2\text{-CA}$, **CTFCA(NEW)**)
- 83 Pyrethroide metabolites, alcohol part (3-PBA, FPBA)
- 204 6-CINA
- 87 Alkyl phosphates* (DMP, DMTP, DMDTP, DEP, DETP, DEDTP)
- 122 Phthalate metabolites "DEHP"(5-OH-MEHP, 5-oxo-MEHP, 5-carboxy-MEPP, MEHP)
- 129 Phthalate metabolites "other"(MnBP, MiBP, MBzP)
- 207 Glyphosate

* Alkyl phosphates:

DMP: Dimethylphosphate

DMTP: Dimethylthiophosphate

DMDTP: Dimethyldithiophosphate

DEP: Diethylphosphate

DETP: Diethylthiophosphate

DEDTP: Diethyldithiophosphate

Tobacco-specific N-nitrosamines

Environmental medical field

- **5 ml control urine** (for each concentration level) are available for analysis:

Tobacco-specific N-nitrosamines

(control material **18** A/B, 5 ml)

172 4-(Methylnitrosamine)-1-(3-pyridyl)-1-butanol after hydrolysis (NNAL)

93 Cotinine, Nicotine

Mercapturic acids in urine

Occupational medical field

- **5 ml control urine** (for each concentration level) are available for analysis:

Mercapturic acids in urine

(control material **17** A/B, 5 ml)

38 S-PMA (Benzene metabolite)

147 Butadiene metabolites (DHBMA, MHBMA)

149 Acrylamide/Acrylonitrile metabolite (AAMA, GAMA, CEMA)

152 other mercapturic acids (HEMA, 2-HPMA, 3-HPMA)

155 AMCC (DMF metabolite)

S-PMA: S-Phenylmercapturic acid

AMCC: Acetyl-S-(N-methylcarbamoyl)cysteine

DHBMA: 3,4-Dihydroxybutylmercapturic acid

MHBMA: 2-Hydroxy-3-butenylmercapturic acid

AAMA: 2-Carbonamideethylmercapturic acid

GAMA: 2-Carbonamide-2-hydroxyethylmercapturic acid

CEMA: 2-Cyanoethylmercapturic acid

HEMA: 2-Hydroxyethylmercapturic acid

2-HPMA: 2-Hydroxypropylmercapturic acid

3-HPMA: 3-Hydroxypropylmercapturic acid

Amines and phenolic parameters (after hydrolysis)

(The control material is spiked with the native phenolic compounds as well as with their conjugates (glucuronides and acetates)).

- To analyse parameter (-group) 36,40,134,174,175,177,178,179,205 (control material **14**, occupational medical field) **5 ml control urine** are available.
- To analyse parameter (-group) 79,86,127,140,166,167,200, 208,209 (control material **15**, environmental medical field) **2 x 5 ml control urine** are available.

Amines and phenolic parameters (after hydrolysis)

(control material **14 / 15 A/B**, 5 ml in brown glass vials)

- 79 1-Hydroxypyrene (1-HP)
86 Pentachlorophenol (PCP)
127 1-Naphthol, 2-Naphthol
140 Bisphenol A
166 Trichloropyridinol (TCPy)
167 Isopropoxyphenol (IPPP)
174 4-Nitrophenol
175 Aniline
134 Diisocyanate metabolites, aromatic (MDA, 2,4-TDA, 2,6-TDA, 1,5-NDA)
180 Diisocyanate metabolites, aliphatic (IPDA, HDA)
200 Triclosan (TCS)
205 MOCA
208 Benzophenone -1
209 Benzophenone -3

Phenol and o-Cresol (after hydrolysis)

NEW

(Control material **16 A/B**, 5 ml in brown glass vials)

- 36 Phenol
40 o-Cresol

HEADSPACEANALYSIS

Control blood

AROMATIC AND HALOGENATED HYDROCARBONS

- To analyze the aromatic- or chlorinated hydrocarbons **2 x 2 ml or 2 x 1 ml control blood** (for each concentration level and each group of hydrocarbons) are available in gas-tight ampoules. The ampoules are offered in two different sizes due to the different headspace analysers.

Aromatic hydrocarbons

(control material **4 A/B**)

47 Benzene, Toluene, Xylenes, Ethylbenzene

For carrying out the determination I require vials with the following volume:

20 ml (Perkin Elmer HS) (2 ml blood)
10 ml (1 ml blood)

Halogenated hydrocarbons

(control material **5 A/B**)

51 Dichloromethane, 1,2-Dichloroethane, Trichloroethene, Tetrachloroethene, 1,1,1-Trichloroethane, Tetrachloromethane, Trichloromethane

For carrying out the determination I require vials with the following volume:

20 ml (Perkin Elmer HS) (2 ml blood)
10 ml (1 ml blood)

Control urine

ALCOHOLS/ KETONES/ ETHER

- To analyze alcohols/ketones **2 x 2 ml or 2 x 1 ml control urine** are available in gas-tight vials. The vials are offered in two different sizes due to the different headspace-analysers.

Alcohols/Ketones/Ether

(control material **12 A/B**)

54 Methanol, Methyl-tert-butylether, Tetrahydrofuran, n-Butanol

55 Acetone, Methylethylketone (MEK), Methylisobutylketone (MiBK), Methyl-n-butylketone

For carrying out the determination I require vials with the following volume:

20 ml (Perkin Elmer HS) (2 ml urine)

10 ml (1 ml urine)

Aromatic hydrocarbons

(control material **19 A/B**)

182 Benzene, Toluene, Xylenes, Ethylbenzene

For carrying out the determination I require vials with the following volume:

20 ml (Perkin Elmer HS) (2 ml urine)

10 ml (1 ml urine)

ORGANOHALOGEN COMPOUNDS

ANALYTICAL PARAMETERS IN CONTROL SERUM

- **5 ml control serum** (for each concentration level) are available for analysis of a parameter/group of parameters:

Organohalogen compounds

(control material **10 A/B**)

95	p,p'-DDT	p,p'-Dichlorodiphenyltrichloroethane
	p,p'-DDE	p,p'-Dichlorodiphenyldichloroethene
96	HCB	Hexachlorobenzene
97	α -, β -, γ -HCH	Hexachlorocyclohexane
100	PCB	Polychlorinated biphenyls (Ballschmiter numbers: 28, 52, 101, 138, 153, 180)
106	PCP	Pentachlorophenol
120	PFOA	Perfluorooctanoic acid
	PFOS	Perfluorooctanoic sulfonic acid (n-isomer)

N-terminal adducts in Hemoglobin

Human globin - N-terminal adducts in hemoglobin

- To analyse N-terminal adducts 300 mg human globin is available for each concentration level
- The analysis of the five substances counts as one parameter

N-terminal adducts in human globin

(control material **13 A/B**)

130 Globin adducts:	Methylvaline (MeV)
	2-Hydroxyethylvaline (HEV)
	2-Cyanoethylvaline (CEV)
	2-Carbamoyleethylvaline (AAV)
	2-Hydroxypropylvaline (2-HPV)

Date: _____

Lab-ID (please do always quote!): _____

Signature and stamp: _____

Order form - additional material

Please note: We are not able to provide more than **2 vials of additional samples** for each control material due to reasons of capacity. We have to charge a fee of 15.00 € for each vial you order.

In order to carry out the analysis we require more sample material.

I/We would like to order the following additional control materials:

Metals – Blood (3 ml):

(control material **1** A/B)

ZA1 A_____ x 15.00 €

ZB1 B_____ x 15.00 €

(control material **7** A/B)

ZA7 A_____ x 15.00 €

ZB7 B_____ x 15.00 €

Metals - Plasma (3 ml):

(control material **11** A/B)

ZA11 A_____ x 15.00 €

ZB11 B_____ x 15.00 €

Headspace Analyses - Blood

Aromatic hydrocarbons

(control material **4** A/B)

vial, 20 ml

ZA41 A_____ x 15.00 €

ZB41 B_____ x 15.00 €

vial, 10 ml

ZA42 A_____ x 15.00 €

ZB42 B_____ x 15.00 €

Date: _____

Lab-ID (please do always quote!): _____

Signature and stamp: _____

Headspace Analyses - Blood

Chlorinated hydrocarbons

(control material **5** A/B)

vial, 20 ml

ZA51 A_____ x 15.00 €

ZB51 B_____ x 15.00 €

vial, 10 ml

ZA52 A_____ x 15.00 €

ZB52 B_____ x 15.00 €

Headspace Analyses – Urine

Alkohols/Ketones/Ether

(control material **12** A/B)

vial, 20 ml

ZA01 A_____ x 15.00 €

ZB01 B_____ x 15.00 €

vial, 10 ml

ZA02 A_____ x 15.00 €

ZB02 B_____ x 15.00 €

Aromatic hydrocarbons

(control material **19** A/B)

vial, 20 ml

ZA182 A_____ x 15.00 €

ZB182 B_____ x 15.00 €

vial, 10 ml

ZA282 A_____ x 15.00 €

ZB282 B_____ x 15.00 €

Organohalogen compounds Serum (5 ml)

(control material **10** A/B)

ZA10 A_____ x 15.00 €

ZB10 B_____ x 15.00 €

Date: _____

Lab-ID (please do always quote!): _____

Signature and stamp: _____

Inorganic components - Urine (5 ml)

(control material **2** A/B)

(control material **8** A/B)

ZA2 A_____ x 15.00 €

ZB2 B_____ x 15.00 €

ZA8 A_____ x 15.00 €

ZB8 B_____ x 15.00 €

Organic Components - Urine (5 ml)

(control material **3** A/B)

(control material **9** A/B)

ZA3 A_____ x 15.00 €

ZB3 B_____ x 15.00 €

ZA9 A_____ x 15.00 €

ZB9 B_____ x 15.00 €

Tobacco-specific N-nitrosamines – urine

(control material **18** A/B)

ZA18 A_____ x 15.00 €

ZB18 B_____ x 15.00 €

Amines and Phenolic Components- Urine (5 ml)

(control material **14** A/B)

(control material **15** A/B)

ZA14 A_____ x 15.00 €

ZB14 B_____ x 15.00 €

ZA15

A_____ x 15.00 €

ZB15

B_____ x 15.00 €

Phenol und o-Cresol –Urine (5ml) NEW

(control material **16** A/B)

ZA16 A_____ x 15.00 €

ZB16 B_____ x 15.00 €

Mercapturic acids - Urine (5 ml)

(control material **17** A/B)

ZA17 A_____ x 15.00 €

ZB17 B_____ x 15.00 €

Date: _____

Lab-ID (please do always quote!): _____

Signature and stamp: _____